



REFERENTIES

Blog; Wetenschap achter mindfulness

- Astin, J.A. (1997). Stress reduction through mindfulness meditation. Effects on psychological symptomatology, sense of control, and spiritual experiences. *Psychotherapy and PsychosomaBcs*, 66, 97–106.
- Barnes, S. et al., (2007). The role of mindfulness in romantic relationship satisfaction and responses to relationship stress. *Journal of Marital and Family Therapy*. 33, 4. 482–500.
- Bowen, S., Chawla, N., Collins, S. E., Witkiewitz, K., Hsu, S., Grow, J., et al. (2009). Mindfulness-based relapse prevention for substance use disorders: A pilot efficacy trail. *Substance Abus*, 30, 295-305.
- Brewer, J., Mallik, T., Babuscio, C., Nich, H., Johnson, C., Deleone, C. Minnix-Cotton, S., Byrne, H., Kober, A., Weinstein, K., Carroll, B. & Rounsaville. (2011). Mindfulness Training for smoking cessation: results from a randomized controlled trial. *Drug and Alcohol Dependence*. 119, 79-80.
- Brewer, J., Worhunsky, P., Gray, P., Tang, Y., Weber, J. & Kober, H. (2011). Meditation experience is associated with differences in default mode network activity and connectivity. *Proceedings of the National Academy of Sciences*. 108 ,50, 20254-20259.
- Chiesa, A., & Serretti, A. (2009). Mindfulness based stress reduction for stress management in healthy people: a review and meta analysis. *The Journal of Alternative and Complementary Medicine*, 15, 593-600.
- Davidson, R., Kabat-Zinn, J., Schumacher, J., Rosenkranz, M., Muller, D., Santorelli, S., et al. (2003). Journal of Psychosomatic Medicine. 65, 4, 674-570.experience. *Emotion*, 10, 1, 54-64.
- Dekeyser, M., Raes, F., Leijssen, M., Leysen, S. & Dewulf, D. (2008). Mindfulness skills and interpersonal behavior. *Journal of Personality and Individual Differences*, 44, 5, 1235-1245.
- Dunford & Thompson. (2010). Relaxation and mindfulness in pain: a review. *Journal: Reviews in Pain*, 4, 18-23.



- Finucane, A., & Mercer, S. W. (2006). An exploratory mixed methods study of the acceptability and effectiveness of mindfulness-based cognitive therapy for patients with active depression and anxiety in primary care. *BMC Psychiatry*, 6.
- Greenberg, J., Reiner, K. & Meiran, N. (2012). "Mind the Trap": Mindfulness Practice Reduces Cognitive Rigidity. *Public Library of Science*, 7, 5.
- Hofmann, S., Sawyer, A., Witt, A., & Oh, D. (2010). The effect of mindfulness-based therapy on anxiety and depression: A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 78, 2, 169-183.
- Hölzel, B. K., J. Carmody, M. Vangel, C. Congleton, S. M. Yerramsetti, T. Gard & S. W. Lazar. (2011). Mindfulness practice leads to increases in regional brain gray matter density. *Neuroimaging*, 191, 36-43.
- Irving, J. A., Dobkin, P. L., & Park, J. (2009). Cultivating mindfulness in health care professionals: A review of empirical studies of mindfulness based stress reduction (MBSR). *Complementary Therapies in Clinical Practice*, 15, 61-66.
- Kabat-Zinn, J., Wheeler, E., Light, T., Skillings, A., Scharf, M. J., Cropley, T. G., et al. (1998). Influence of a mindfulness meditation-based stress reduction intervention on rates of skin clearing in patients with moderate to severe psoriasis undergoing phototherapy (UVB) and photochemotherapy (PUVA). *Psychosomatic Medicine*, 60, 625-632.
- Kabat-Zinn, J., Wheeler, E., Light, T., Skillings, A., Scharf, M. J., Cropley, T. G., et al. (2003). Part II: Influence of a mindfulness meditation-based stress reduction intervention on rates of skin clearing in patients with moderate to severe psoriasis undergoing phototherapy (UVB) and photochemotherapy (PUVA). *Construcvsm in the Human Sciences*, 8, 85-106.
- Kenny, M., & Williams, J. (2007). Treatment-resistant depressed patients show a good response to Mindfulness-based Cognitive Therapy. *Behaviour Research and Therapy*, 45, 617-625.
- Kuyken, W., Taylor, R. S., Barree, B., Evans, A., Byford, S. W., Holden, E., et al. (2008). Mindfulness-based cognitive therapy to prevent relapse in recurrent depression. *Journal of Consulting and Clinical Psychology*, 76, 966-978.
- Ma, S. & Teasdale, J. (2004). Mindfulness-Based Cognitive Therapy for Depression: Replication and Exploration of Differential Relapse Prevention Effects. *Journal of Consulting and Clinical Psychology*, 72, 1, 31-40.
- Miller, J. J., Fletcher, K., & Kabat-Zinn, J. (1995). Three year follow up and clinical implications of a mindfulness meditation based stress reduction intervention in the treatment of anxiety disorders. *Gen Hosp Psychiatry*, 17, 192-200.



- Monti, D. A., Peterson, C., Shakin Kunkel, E. J., Hauck, W. W., Pequignot, E., Rhodes, L., et al. (2005). A randomized, controlled trial of Mindfulness Based Art Therapy (MBAT) for women with cancer. *Psycho-Oncology*, 14, 1–11.
- National Sleep Foundation, The. Sleep and mental health conditions, accessed from: <http://www.sleepfoundation.org/article/sleep-topics/depression-and-sleep>.
- Ong, J., Shapiro, S. & Manber, R. (2008). A Mindfulness-Based Approach to the Treatment of Insomnia. *Journal of Clinical Psychology*, 66, 11, 1175-1184.
- Roemer, L., Orsillo, S. M., & Salters--Pedneault, K. (2008). Efficacy of an acceptance based behaviour therapy for generalized anxiety disorder: Evaluation in a randomized controlled trail. *Journal of Consulting and Clinical Psychology*, 76, 1083-1089.
- Schneider, R. et al. (2012). Stress Reduction in the Secondary Prevention of Cardiovascular Disease. Randomized, Controlled Trial of Transcendental Meditation and Health Education in Blacks. *Journal of Circulatory Cardiovascular Qualitative Outcomes*, 5, 6, 750-758.
- Shapiro, S. L., Schwartz, G. E., & Bonner, G. (1998). Effects of mindfulness based stress reduction on medical and premedical students. *Journal of Behavioral Medicine*, 21, 581-599.
- Smith, B. (2006). A Preliminary Study of the Effects of a Modified Mindfulness Intervention on Binge Eating. *Journal of Evidence-Based Complementary & Alternative Medicine*, 11, 3, 133–43.
- Specia, M., Carlson, L., Goodey, E., & Angen, M. (2000). A randomized, wait-list controlled clinical trial: The effect of a mindfulness meditation based stress reduction program on mood and symptoms of stress in cancer outpatients. *Psychosomatic Medicine*, 62, 613-622.
- Tacon, A. M., McComb, J., Caldera, Y., & Randolph, P. (2003). Mindfulness meditation, anxiety reduction, and heart disease: a pilot study. *Family & Community Health*, 26, 25-33.
- Tang, Y., Tang, R. & Posner, M. (2013). Brief meditation training induces smoking reduction. *Proceedings of the National Academy of Sciences*.
- Tang, Y. U., Ma, Y., Wang, J., Fan, Y., Feng, S., Lu, Q., et al. (2007). Short-term meditation training improves attention and self-regulation. *Proceedings of the National Academy of Sciences*, 104, 17152-17156.
- Valentine, E. R., & Sweet, P. L. G. (1999). Meditation and attention: A comparison of the effects of concentrative and mindfulness meditation on sustained attention. *Mental Health, Religion and Culture*, 2, 59-70.



- Williams, K. A., Kolar, M.M., Reger, B. E., & Pearson, J. C. (2001). Evaluation of a Wellness Based Mindfulness Stress Reduction intervention: A controlled trial. *American Journal of Health Promotion*, 15, 422-432.
- Winbush, N. Y., Gross, C. R., & Kreitzer, M. J. (2007). The effects of mindfulness-based stress reduction on sleep disturbance: A systematic review. *Explore*, 3, 585-591.
- Wolever, R., Bobinet, K., McCabe, K., MacKenzie, L., Fekete, E., Kusnick, C. & Baime, M. (2012). Effective and viable mind-body stress reduction in the workplace: two RCTs. *Complimentary and Alternative Medicine*, 12, 87.
- World Health Organization, The. Cardiovascular Disease. Accessed online from:
<http://www.who.int/mediacentre/factsheets/fs317/en/>
- Zeidan, F., Johnson, S. K., Diamond, B. J., David, Z., & Goolkasian, P. (2010). Mindfulness meditation improves cognition: Evidence of brief mental training. *Consciousness and Cognition*, 19, 2, 597-605.